



PRO-SERIES



PACKAGING SOLUTIONS THAT MEAN BUSINESS

ARPAC *STRETCH*™


PRO-SERIES®

SEMI-AUTOMATIC PLATFORM STRETCH WRAPPER WITH POWERED PRE-STRETCH


PRO-SERIES®



The new PRO-SERIES® enjoys the reputation of being one of the most cost-effective semi-automatic machines on the market today. A new ergonomic sturdy design, with chains enclosed in the tower frame, ensures safer operation. Standard features include: illuminated adjustable (0-7) LED top & bottom wrap counters, top overwrap control, anti-static film rollers, cycle pause, variable speed controls for both turntable and carriage, upgraded photo eye to see most dark loads, plus EZ-LOAD Powered Pre-Stretch, maximizing stretch film usage.



PRO-SERIES® High Profile (HP)



PRO-SERIES® High Profile (HP) Split Frame
WRAP-N-WEIGH®

The PRO-SERIES® is often purchased with the WRAP-N-WEIGH® feature that combines wrapping and weighing operations. A precision scale and digital controls are integrated into the machine which brings greater economy and efficiency to any wrapping operation requiring weighing.

This 4,000 lb. capacity system is available with a high profile turntable for forklift loading, or low profile turntable for pallet-jack loading.

The PRO-SERIES® can be customized to suit your material handling requirements with extended towers for taller loads and split frames for odd-sized larger loads.

The PRO-SERIES® is part of a robust line of stretch wrapping equipment designed to maximize stretch film usage while ensuring the very best load unitization. All ARPACSTRETCH™ equipment is constructed with heavy-duty reinforced structural steel, and finished with non-corrosive Steel-It paint, to guarantee years of reliable wrapping. The PRO-SERIES® is manufactured in the USA and sold through our nationwide distributor network.


TURNTABLE OPTIONS

Variety of turntable sizes are available for applications where the full skid or slip sheet needs support

	Standard Turntable	Oversized
HP	50"W x 50"L square	60"W x 60"L square
LP	60" diameter	72" diameter



"Swift Change" Film Mandrel



Variety of Access Ramps





EZ-LOAD Powered Pre-Stretch



WRAP-N-WEIGH® Operator Controls

FEATURES

- Welded heavy-duty reinforced structural steel construction for around-the-clock operation
- Steel-It paint provides a durable scratch resistant surface and prevents corrosion
- Forklift portable
- 4 point caster support for HP turntable
- 6 pairs - Delrin caster support for LP turntable
- Turntable direct drive: 1/2 HP, 90 VDC motor with ANSI 50 chain
- Micro controller logic
- Top over-wrap control feature (TOC)
- Cycle pause control
- Turntable jog control
- Carriage pause control (banding)
- Adjustable dual LED wrap counters (0-7)
- Corner compensation
- Anti-static rollers
- UL approved components
- External fuses
- Positive home position alignment
- Photo electric load height sensor that detects most dark colored loads
- EZ-LOAD Powered Pre-Stretch 150-300%, 200% Standard
- Variable carriage speed (0-21 FPM)
- Turntable speed of 0-12 RPM adjustable
- Carriage drive: 1/3 HP, 90 VDC motor with ANSI chain lift drive



SPECIFICATIONS

Power Requirements

- Electrical: 120V, 1Ph, 60Hz, 10A

Load Sizes

Frame	Load Height	Max. Load Diagonal Clearance
HP	74"	85"
LP	83"	85"
HP WNW	72"	85"
LP WNW	81"	85"

Note: A split frame design will lose up to 3" in wrap height with a standard 8' umbilical cord between the tower and the base when turntable is placed at maximum distance from the tower.

Approx. Shipping Weight

- HP: 1,386 lbs.
- LP: 1,485 lbs.
- HP WNW: 1,475 lbs.
- LP WNW: 1,568 lbs.

OPTIONS

- Extended film tower for wrapping taller loads exceeding standard machine capability
- TOP PLATEN device used to stabilize tall or light unstable loads during rotation
- A variety of access ramps to assist loading of pallet
- Split frame construction to increase film tower clearance for oversized loads
- Cycle counter to count the actual cycles of a machine operation
- Extended umbilical cords for split frame models
- More options available, consult your local ARPACSTRETCH™ representative

For complete product line, visit: www.arpac.com

